

References

Diamond, L., Izquierdo, K., Canfield, D., Matsoukas, K., & Gany, F. (2019). A systematic review of the impact of patient-physician non-English language concordance on quality of care and outcomes. *Journal of General Internal Medicine*, 34(8), 1591–1606.

<https://doi.org/10.1007/s11606-019-04847-5>

Fernández, A., Quan, J., Moffet, H., Parker, M. M., Schillinger, D., & Karter, A. J. (2017).

Adherence to newly prescribed diabetes medications among insured Latino and white patients with diabetes. *JAMA Internal Medicine*, 177(3), 371–379.

<https://doi.org/10.1001/jamainternmed.2016.8653>

Fernandez, A., Warton, E. M., Schillinger, D., Moffet, H. H., Kruger, J., Adler, N., & Karter, A. J. (2018). Language barriers and LDL-C/SBP control among Latinos with diabetes. *The American Journal of Managed Care*, 24(9), 405–410.

Kenny, J. D., Karliner, L. S., Kerlikowske, K., Kaplan, C. P., Fernandez-Lamothe, A., & Burke, N. J. (2020). Organization communication factors and abnormal mammogram follow-up: a qualitative study among ethnically diverse women across three healthcare systems. *Journal of General Internal Medicine*, 35(10), 3000–3006.

<https://doi.org/10.1007/s11606-020-05972-2>

Kiersz, A. (2018). *Speaking a non-English language at home* [Map]. Business Insider.

<https://www.businessinsider.com/united-states-households-speak-non-english-language-at-home-2018-12>

Luan Erfe, B. M., Siddiqui, K. A., Schwamm, L. H., Kirwan, C., Nunes, A., & Mejia, N. I.

(2017). Professional medical interpreters influence the quality of acute ischemic stroke care for patients who speak languages other than English. *Journal of the American Heart Association*, 6(9). <https://doi.org/10.1161/JAHA.117.006175>

Mckellar, K., & Sillence, E. (2020). *Teenagers, sexual health information and the digital age*. Academic Press. <https://doi.org/10.1016/B978-0-12-816969-8.00002-3>

Menon, U., Szalacha, L. A., Martinez, G. A., Graham, M. C., Pares-Avila, J. A., Rechenberg, K., & Stauber, L. S. (2022). Efficacy of a language-concordant health coaching intervention for latinx with diabetes. *Patient Education and Counseling*, 105(7), 2174–2182. <https://doi.org/10.1016/j.pec.2021.11.024>

Njeru, J. W., Boehm, D. H., Jacobson, D. J., Guzman-Corrales, L. M., Fan, C., Shimotsu, S., & Wieland, M. L. (2017). Diabetes outcome and process measures among patients who require language interpreter services in minnesota primary care practices. *Journal of Community Health*, 42(4), 819–825. <https://doi.org/10.1007/s10900-017-0323-x>

Parker, M. M., Fernández, A., Moffet, H. H., Grant, R. W., Torreblanca, A., & Karter, A. J. (2017). Association of patient-physician language concordance and glycemic control for limited-English proficiency Latinos with type 2 diabetes. *JAMA Internal Medicine*, 177(3), 380–387. <https://doi.org/10.1001/jamainternmed.2016.8648>

Seible, D. M., Kundu, S., Azuara, A., Cherry, D. R., Arias, S., Nalawade, V. V., Cruz, J., Arreola, R., Martinez, M. E., Nodora, J. N., Rahn, D. A., & Murphy, J. D. (2021). The influence of patient-provider language concordance in cancer care: Results of the Hispanic Outcomes by Language Approach (HOLA) Randomized Trial. *International*

Journal of Radiation Oncology, Biology, Physics, 111(4), 856–864.

<https://doi.org/10.1016/j.ijrobp.2021.05.122>

Ugas, M., Mackinnon, R., Amadasun, S., Escamilla, Z., Gill, B., Giuliani, M., Fazelzad, R.,

Martin, H., Samoil, D., & Papadakos, J. (2023). Associations of health literacy and health outcomes among populations with limited language proficiency: A scoping review.

Journal of Health Care for the Poor and Underserved, 34(2), 731–757.

<https://doi.org/10.1353/hpu.2023.0039>